

PUBLIC RELEASE: 1-DEC-2016

# Gut microbe movements regulate host circadian rhythms

CELL PRESS




PRINT E-MAIL

Even gut microbes have a routine. Like clockwork, they start their day in one part of the intestinal lining, move a few micrometers to the left, maybe the right, and then return to their original position. New research in mice now reveals that the regular timing of these small movements can influence a host animal's circadian rhythms by exposing gut tissue to different microbes and their metabolites as the day goes by. Disruption of this dance can affect the host. The study appears December 1 in *Cell*.

"This research highlights how interconnected the behavior is between prokaryotes and eukaryotes, between mammalian organisms and the microbes that live inside them," says Eran Elinav, an immunologist at the Weizmann Institute of Science, who led the work with co-senior author Eran Segal, a computational biologist also at the Weizmann. "These groups interact with and are affected by each other in a way that can't be separated."

The new study had three major findings:

1. The microbiome on the surface layer of the gut undergoes rhythmical changes in its "biogeographical" localization throughout the day and night; thus, the surface cells are



**IMAGE:** THIS VISUAL ABSTRACT DEPICTS THE FINDINGS OF THAISS ET AL, WHO SHOW DIURNAL OSCILLATIONS IN MICROBIAL LOCALIZATION AND METABOLITE PRODUCTION IN THE GUT HAVE A MAJOR IMPACT ON THE CIRCADIAN... [view more >](#)

CREDIT: THAISS ET AL/CELL 2016

exposed to different numbers and different species of bacteria over the course of a day. "This tango between the two partners adds mechanistic insight into this relationship," Elinav says.

2. The circadian changes of the gut microbiome have profound effects on host physiology, and unexpectedly, they affect tissue that is far away from the gut, such as the liver, whose gene expression changes in tandem with the gut microbiome rhythmicity. "As such," adds Elinav, "disturbances in the rhythmic microbiome result in impairment in vital diurnal liver functions such as drug metabolism and detoxification."
3. The circadian rhythm of the host is deeply dependent on the gut microbiota oscillations. Although some circadian machinery in the host was maintained by its own internal clock, other components of the circadian clock had their normal rhythms destroyed. Most surprising, another set of genes in the host that normally exhibit no circadian rhythms stepped in and took over after the microbial rhythms were disrupted.

Previous work by Elinav and Segal revealed that our biological clocks work in tandem with the biological clocks in our microbiota and that disrupting sleep-wake patterns and feeding times in mice induced changes in the microbiome in the gut.

"Circadian rhythms are a way of adapting to changes in light and dark, metabolic changes, and the timing of when we eat," says Segal. "Other studies have shown the importance of the microbiome in metabolism and its effect on health and disease. Now, we've shown for the first time how circadian rhythms in the microbiota have an effect on circadian rhythms in the host."

The investigators say their work has potential implications for human health in two important ways. First of all, because drugs ranging from acetaminophen to chemotherapy are metabolized in the liver, understanding -- and potentially being able to manipulate -- the circadian rhythms of our microbiota could affect how and when medications are administered.

Second, understanding more about this relationship could help to eventually intervene in health problems like obesity and metabolic syndrome, which are more common in people whose circadian rhythms are frequently disrupted due to shift work or jet lag.

"What we learned from this study is that there's a very tight interconnectivity between the microbiome and the host. We should think of it now as one supraorganism that can't be separated," Segal says. "We have to fully integrate our thinking with regard to any substance that we consume."

###

This research was primarily funded by Yael and Rami Ungar, Israel; Leona M. and Harry B. Helmsley Charitable Trust; the Gurwin Family Fund for Scientific Research; Crown Endowment

Fund for Immunological Research; estate of Jack Gitlitz; estate of Lydia Hershkovich; the Benozio Endowment Fund for the Advancement of Science; Adelis Foundation; John L. and Vera Schwartz, Pacific Palisades; Alan Markovitz, Canada; Cynthia Adelson, Canada; CNRS (Centre National de la Recherche Scientifique); estate of Samuel and Alwyn J. Weber; Mr. and Mrs. Donald L. Schwarz, Sherman Oaks; grants funded by the European Research Council; the German-Israel Binational foundation; the Israel Science Foundation; the Minerva Foundation; the Rising Tide foundation; the Alon Foundation scholar award; the Rina Gudinski Career Development Chair; and the Canadian Institute For Advanced Research (CIFAR).

*Cell*, Thaïss et al: "Microbiota diurnal rhythmicity programs host transcriptome oscillations."  
[http://www.cell.com/cell/fulltext/S0092-8674\(16\)31524-0](http://www.cell.com/cell/fulltext/S0092-8674(16)31524-0)

*Cell* (@CellCellPress), the flagship journal of Cell Press, is a bimonthly journal that publishes findings of unusual significance in any area of experimental biology, including but not limited to cell biology, molecular biology, neuroscience, immunology, virology and microbiology, cancer, human genetics, systems biology, signaling, and disease mechanisms and therapeutics. Visit: <http://www.cell.com/cell>. To receive Cell Press media alerts, contact [press@cell.com](mailto:press@cell.com).

**Disclaimer:** AAAS and EurekAlert! are not responsible for the accuracy of news releases posted to EurekAlert! by contributing institutions or for the use of any information through the EurekAlert system.