NEWS RELEASE 14-MAY-2020

Dynamic stimulation of the visual cortex allows blind and sighted people to 'see' shapes

CELL PRESS



VIDEO: THIS VIDEO SHOWS A BLIND PARTICIPANT DRAWING LETTERS BASED ON DYNAMIC STIMULATION TO THE VISUAL CORTEX. view more >

CREDIT: BEAUCHAMP ET AL./CELL

For most adults who lose their vision, blindness results from damage to the eyes or optic nerve while the brain remains intact. For decades, researchers have proposed developing a device that could restore sight by bypassing damaged eyes and delivering visual information from a camera directly to the brain. In a paper publishing in the journal *Cell* on May 14, a team of investigators at Baylor College of Medicine in Houston report that they are one step closer to this goal. They describe an approach in which implanted electrodes are stimulated in a dynamic sequence, essentially "tracing" shapes on the surface of the visual cortex that participants were able to "see."

"When we used electrical stimulation to dynamically trace letters directly on patients' brains, they were able to 'see' the intended letter shapes and could correctly identify different letters," senior author Daniel Yoshor says. "They described seeing glowing spots or lines forming the letters, like skywriting." Previous attempts to stimulate the visual cortex have been less successful. Earlier methods treated each electrode like a pixel in a visual display, stimulating many of them at the same time. Participants could detect spots of light but found it hard to discern visual objects or forms. "Rather than trying to build shapes from multiple spots of light, we traced outlines," says first author Michael Beauchamp. "Our inspiration for this was the idea of tracing a letter in the palm of someone's hand."

The investigators tested the approach in four sighted people who had electrodes implanted in their brains to monitor epilepsy and two blind people who had electrodes implanted over their visual cortex as part of a study of a visual cortical prosthetic device. Stimulation of multiple electrodes in sequences produced perceptions of shapes that subjects were able to correctly identify as specific letters.

The approach, the researchers say, demonstrates that it could be possible for blind people to regain the ability to detect and recognize visual forms by using technology that inputs visual information directly into the brain, should they wish to. The researchers note, however, that several obstacles must be overcome before this technology could be implemented in clinical practice.

"The primary visual cortex, where the electrodes were implanted, contains half a billion neurons. In this study we stimulated only a small fraction of these neurons with a handful of electrodes," Beauchamp says. "An important next step will be to work with neuroengineers to develop electrode arrays with thousands of electrodes, allowing us to stimulate more precisely. Together with new hardware, improved stimulation algorithms will help realize the dream of delivering useful visual information to blind people."

###

This work was supported by the National Institutes of Health.

Cell, Beauchamp et al.: "Dynamic Stimulation of Visual Cortex Produces Form Vision in Sighted and Blind Humans" https://www.cell.com/cell/fulltext/S0092-8674(20)30496-7

Cell (@CellCellPress), the flagship journal of Cell Press, is a bimonthly journal that publishes findings of unusual significance in any area of experimental biology, including but not limited to cell biology, molecular biology, neuroscience, immunology, virology and microbiology, cancer, human genetics, systems biology, signaling, and disease mechanisms and therapeutics. Visit: http://www.cell.com/cell. To receive Cell Press media alerts, contact press@cell.com.

Disclaimer: AAAS and EurekAlert! are not responsible for the accuracy of news releases posted to EurekAlert! by contributing institutions or for the use of any information through the EurekAlert system.

Media Contact

Carly Britton press@cell.com 617-417-7053

♥ @CellPressNews